

GOVERNMENT OF GUAM DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES DIVISION OF ENVIRONMENTAL HEALTH	<b>BARBER AND BEAUTY SHOPS, SCHOOLS, AND          THE PRACTICE OF BARBERING AND          COSMETOLOGY          INSPECTION REPORT</b>
--	---

INSPECTION	GRADE	Inspection Date	ESTABLISHMENT NAME:
Regular	✓	10/14/2018	VER-V BARBER SHOP
Follow-Up		Time In/Out:	OWNER/OPERATOR:
Complaint		10:20 AM / 12:05 PM	IMPASCUAL, ENRIQUE L
Investigation		Sanitary Permit:	LOCATION: LOT 7024 - NEW 4 CALVO PLAZA UNIT 118
Other (Specify Below)		No.: 180001226	#525 CHLN PALE RAMON HAYA YIGO
		Exp.: 6/30/2019	ESTABLISHMENT TYPE: BARBER SHOP

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written hearing request must be submitted before the indicated correction date.

ITEM NO.*	REMARKS	DEMERITS
	A REGULAR INSPECTION WAS CONDUCTED	
	PREVIOUS INSPECTION CONDUCTED ON 8/11/2017 (D, A)	
	THE FOLLOWING VIOLATIONS WERE OBSERVED:	
#4	EMPLOYEE DID NOT WASH HANDS IN BETWEEN CUSTOMERS. HANDS SHALL BE PROPERLY WASHED IN BETWEEN EACH CUSTOMER AND AS NEEDED TO PREVENT SPREAD OF DISEASE.	4
#5	PERSONAL SNACKS OBSERVED IN MANICURE WORK STATION. EMPLOYEES SHALL CONSUME FOOD AT DESIGNATED AREAS ONLY.	2
#8	SEVERAL BRUSHES MADE OF WOOD FOUND AT DIFFERENT WORK STATIONS BRUSHES MADE OF WOOD ARE NOT EASILY CLEANABLE AND SHALL NOT BE USED TO PREVENT SPREAD OF GERMS.	6
#17	A DEAD FLY OBSERVED IN BARBICIDE SOLUTION. OTHER BARBICIDE SOLUTIONS OBSERVED TO BE CLOUDY WITH EXCESS SCALP MATTER. CLIPPERS NOT CLEANED AND DISINFECTED AFTER USE. ALL INSTRUMENTS AND EQUIPMENT SHALL BE PROPERLY CLEANED AND DISINFECTED TO PREVENT TRANSFER OF GERMS. BARBICIDE SOLUTION SHALL BE REGULARY REPLACED TO ALLOW FOR THOROUGH DISINFECTION.	6

I HAVE READ AND UNDERSTAND THE ABOVE VIOLATION(S) AND I AM AWARE OF THE CORRECTIVE MEASURES TO BE TAKEN.

\*When any of the following items are cited above, they shall be corrected within ten (10) days of this inspection:  
(1), (2), (3), (7), (8), (17), (22), (24), (31), (43), and (45).



RECEIVED BY (Name & Title):

DEH INSPECTOR (Name & Title):

J. GARCIA EPH01

GTARAJE EPH01

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written hearing request must be submitted before the indicated correction date.

I HAVE READ AND UNDERSTAND THE ABOVE VIOLATION(S) AND I AM AWARE OF THE CORRECTIVE MEASURES TO BE TAKEN.	
*When any of the following items are cited above, they shall be corrected within ten (10) days of this inspection: (1), (2), (3), (7), (8), (17), (22), (24), (31), (43), and (45).	RECEIVED BY (Name & Title):  DEH INSPECTOR (Name & Title): J. GARCIA EPHOL  C. TAKAE EPHOL 